

uPVC entry doors



uPVC entry doors overview

Live the way you are – naturally individual





Model 7104

Slate gray colour
with optional sidelight

Contents

| | |
|--|----|
| UNILUX opening up perspectives | 04 |
| All good things come in sixes: Brand advantages of UNILUX | 06 |
| Advantages of uPVC | 08 |
| UNILUX IsoStar uPVC entry doors | 10 |
| Glass | 28 |
| Freedom to chose styles and materials | 32 |
| Handles and handle variants | 38 |
| Protection and security | 42 |
| Overview | 48 |
| The reliability of a proven name | 50 |







UNILUX

One brand. One promise.

The only thing modern-day entry doors have in common with their “ancestors” is their name. Good carpentry alone is no longer enough, because energy efficiency, safety, and functionality standards have increased dramatically to meet today’s customer needs.

That’s why all UNILUX uPVC products are developments, demonstrating an extraordinary degree of product intelligence and complex engineering.

To ensure these masterpieces are not just available to a selected group of people, UNILUX produces them as series, enabling the unique products to be sold at a price which makes top quality affordable.

UNILUX opening up perspectives.



All good things come in sixes:

The UNILUX brand advantages.

Brand advantage 1: Durability

Since we were founded, UNILUX has always used the highest-quality materials. Down to the finest detail: In the sash we use hand-drawn synthetic rubber seals instead of PVC. These are characterized by a long service life and excellent resilience. The high-quality production and strict quality control guarantee that you will enjoy your UNILUX entry door for years.

Brand advantage 2: Freedom of design

Some things are a matter of taste. Thus, you can choose from 35 models, 31 different colour and wood patterns, 19 different external push handles as well as several double and triple-glazings. And let's not forget: various possible combinations with optional side panels and fanlights. Variety right from the factory.

Brand advantage 3: Energy balance

UNILUX's solid construction style not only guarantees durability, but also helps save energy. By default, each of our uPVC doors also comes with three seals and a „warm edge“ with glazing, i.e. over an edge where the spacer between the panes has only a low thermal conductivity. That provides better insulation values, more comfort in the vicinity of the door, and significantly less condensation in cold months. Heating costs can be further reduced through highly efficient triple glazing with a thickness of 48 mm (SupraTherm, UltraTherm, PrimaTherm White).





Brand advantage 4: Security

Sometimes an entry door doesn't just have to withstand rain and stormy weather, but also unwelcome guests. That is why all UNILUX entry doors are equipped with three-point locks, optionally with bolts or swivel locks.

Brand advantage 5: Service

UNILUX only works with expertly qualified window specialist retailers, located across the country with their own showrooms. Your regional UNILUX retailer will offer you detailed advice and assist you with your plans. It will also ensure prompt, correct installation, and will be available at any time if you have any service-related needs.

Brand advantage 6: Brand quality

Since 1955, UNILUX's philosophy has been: Only products of uncompromising quality must leave the factory. This saw our company become a recognised quality leader over the decades. Anyone who pays heed to the UNILUX logo can be certain of always receiving a "Made in Germany"-branded product.







Advantages of uPVC


Developed for generations.


Entry doors have to withstand a lot of things. That's why we only use uPVC whose toughness, resilience and resistance to heat and cold can cope with hot summer days, autumn storms and cold winter nights. Internal steel reinforcement also ensures maximum durability.

The only understated area is the cost. You'll receive our uPVC handiwork at a price not worth compromising on.

uPVC entry doors by UNILUX: the originals.







UNILUX IsoStar entry doors

**Unique.
Beautiful.
Affordable.**

For a house planner, an entry door may only represent a connection between inside and outside, but it's actually a lot more. It's the business card for your house. The visible access to your individual, unique home. That's why it should reflect your individuality too, and show the world outside just who you are.

UNILUX uPVC entry doors stand for variety in form and colour. The broad palette of styles guarantees that you can express your personal taste.

Great design at a pleasing price –


UNILUX IsoStar entry doors.





Model 7101

- Milled panel
- Slate gray colour
- Both sides without ornamental frame
- Outside with two applications of V4A stainless steel
- Design glass
- Handle 7002



Model 7102

- Both sides with ornamental frame
- White colour
- Interior view like exterior
- Design glass
- Handle 7002



Model 7104

- Milled panel
- Slate gray colour
- Both sides without ornamental frame
- Exterior with pilaster strips of V4A stainless steel, interior with 5 mm wide grooves
- Design glass
- Handle 7036



Note:


Please note that the clear glass surfaces in the model illustrations are shown in dark. The lighter areas are matted glass.

Clear glass and matting



Model 7105

- Both sides with ornamental frame
- White colour
- Interior view like exterior
- Design glass
- Handle 7002



Model 7106

- Milled panel
- White colour
- Both sides without ornamental frame, interior view like exterior
- Design glass
- Handle 7002



Model 7107

- Milled panel
- Black cherry colour
- Both sides without ornamental frame
- Exterior with pilaster strips of V4A stainless steel, interior with 5 mm wide grooves
- Design glass
- Handle 7036





Model 7108

- Both sides with ornamental frame
- White colour
- Interior view like exterior, mirrored Design glass
- Handle 7002



Model 7109

- Milled panel
- Siena rosso colour
- Both sides without ornamental frame, interior view like exterior, mirrored
- Design glass
- Handle 7002



Model 7110


- Both sides with ornamental frame
- Anthracite gray colour
- Interior view like exterior, mirrored Design glass
- Handle 7002



Our tip for you:


Refined design glass types with inlaid glass crystals offer many options for your personal entry door.

Design glass



Model 7110G

- Closed
- White colour
- Ornaments on the outside, smooth interior
- Handle 7002



Model 7111

- Both sides with ornamental frame
- White colour
- Exterior with application of V4A stainless steel
- Interior view like exterior
- Design glass
- Handle 7002



Model 7112

- Milled panel
- White colour
- Both sides without ornamental frame
- Exterior with pilaster strips of V4A stainless steel
- Interior with 5 mm wide grooves
- Design glass
- Handle 7002





Model 7112G

- Both sides without ornamental frame
- Dark oak colour
- Exterior with pilaster strips of V4A stainless steel
- Interior with 5 mm wide grooves
- Handle 7002



Model 7113

- Milled panel
- Dark red colour
- Both sides without ornamental frame
- Interior view like exterior
- Design glass
- Handle 7002



Model 7114

- Milled panel
- White colour
- Both sides without ornamental frame,
- Exterior with pilaster strips of V4A
- stainless steel,
- Interior with 15 mm wide grooves
- Design glass
- Handle 7002



Our tip for you:

Faceted, ground design glass reflects the natural sunlight and lets your entry door sparkle.

Design glasses



01



02




03

[01 Model 7110
Slate gray colour
Model description page 14

[02 Model 7113
Dark red colour,
similar to RAL 3011

[03 Model 7112
White colour
Model description page 15






Model 7115

- Both sides with ornamental frame
- White colour
- Interior view like exterior
- Design glass
- Handle 7002




Model 7116

- Milled panel
- Anthracite gray colour
- Both sides without ornamental frame
- Interior view like exterior
- Design glass
- Handle 7002



Model 7117

- Milled panel
- White colour
- Both sides without ornamental frame
- Exterior with an application of V4A stainless steel
- Design glass
- Handle 7002



Our tip for you:

The ultra-slim, weather-resistant door threshold has excellent thermal insulation values and is also particularly low-maintenance.

Profiled kick plate



Model 7107

White colour

Model description page 13





Model 7120

- Milled panel
- Silver gray colour
- Both sides without ornamental frame
- Exterior with an application of V4A stainless steel
- Design glass
- Handle 7002

Model 7120G

- Milled panel
- Bog oak colour
- Both sides without ornamental frame
- Exterior with an application of V4A stainless steel
- Handle 7002

Model 7119

- Both sides with ornamental frame
- White colour
- Exterior application of V4A stainless steel
- Interior view like exterior, mirrored
- Design glass
- Handle 7002



Our standard for you:

The one-piece striker plate ensures a visually attractive appearance when locked and is also particularly easy to clean.

One-piece striker



01



02



[01 Model 7115

White colour
Model description page 18

[02 Model 7120G

Bog oak colour





Model 7121

- Both sides with ornamental frame
- Bog oak colour
- Interior view like exterior
- Design glass
- Handle 7002



Model 7122

- Both sides with ornamental frame
- Anthracite gray colour
- Interior view like exterior
- Handle 7002



Model 7123

- Milled panel
- Slate gray colour
- Both sides without ornamental frame, both sides with 15 mm groove
- Interior view like exterior
- Design glass
- Handle 7002



Our tip for you:


Hand-made glass crystals, arranged as a decorative flower, provide a detailed attention-getter on your entry door.

Glass details



Model 7124

- Both sides with ornamental frame and profiles
- White colour
- Interior view like exterior
- Design glass
- Handle 7002



Model 7125

- Milled panel
- White colour
- Both sides without ornamental frame
- Exterior with an application of V4A stainless steel
- Design glass
- Handle 7002



Model 7125G

- Milled panel
- Bog oak colour
- Both sides without ornamental frame
- Exterior with an application of V4A stainless steel
- Handle 7002





Model 7126

- Both sides with ornamental frame and doublers
- White colour
- Interior view like exterior
- Design glass
- Handle 7002



Model 7126G

- Both sides with ornamental frame and doublers
- Golden oak colour
- Interior view like exterior
- Handle 7002



Model 7127

- Both sides with ornamental frame
- Slate gray colour
- Interior view like exterior
- Design glass
- Handle 7002



Our tip for you:

Specially developed shaped parts, with perfectly fit machining, ensure the best possible seal and thermal values.

Shaped parts



Model 7128

- Both sides with ornamental frame
- Golden oak colour
- Doublings and ornamental profile, interior with slimmer ornamental profile
- Design glass
- Handle 7002



Model 7129

- Both sides with ornamental frame
- White colour
- Interior view like exterior
- Design glass
- Handle 7002



Model 7130

- Both sides with ornamental frame and doublers
- White colour
- Interior view like exterior
- Design glass
- Handle 7002






Model 7131
Fir green colour



Model 7131

- Both sides with ornamental frame and doublers
- Fir green colour
- Interior view like exterior
- Design glass
- Handle 7002



Model 7131G

- Both sides with ornamental frame and doublers
- White colour
- Interior view like exterior
- Design glass
- Handle 7002



Our tip for you:

The hinges, adjustable in three dimensions and with specially hardened threaded bolts, ensure both safety and smooth opening.

Hinges



01



02




03

[01 Model 7131G
White colour

[02 Model 7127
Slate gray colour
Optional sidelight
Model description page 24

[03 Model 7130
White colour
Optional sidelights
Model description page 25







**Crystal-clear style
for IsoStar entry doors**

Glass and glass varieties.

Glass is a special material which gives every door its own individual character. We offer an extensive variety of front door glass models – as well as personalised design suggestions for each door, allowing you to create your very own style even when selecting the glass.

UNILUX glass impresses customers because it lets natural light in, but prevents outsiders from seeing in. Each of our ornamental and design glass products is proof that beauty and function don't have to be polar opposites.




UNILUX – Glass can be so unique.





Uadi white



Pave matt white



Punto white



Satinato





01



02





Just the way you are

Your ideal door by UNILUX.

There's no such thing as a cookie-cutter approach at UNILUX. Each entry door is an individual creation for which you not only choose the model, size and shape, but also decide on lots of other details.

You can add your own personal touch with optional side panels and transom windows. The choice of glass and handle will also express your unique, individual tastes.

That's how UNILUX offers individuality works.



[01 Model 7101

Anthracite gray colour
Model description page 12

[02 Model 7125

White colour
with optional sidelight
Model description page 23




Freedom of choice in size and shape.

Fits like a glove

How big should an entry door be? Which way should it open? Is it better to have one or two panels? And how much daylight should the door let in? These are questions each person will answer differently.

That's why UNILUX not only offers you customized entry doors with your requested lengths and width, but also with the options of your choice. For example, with one or two side panels and transom windows. Elements which accentuate your door and add extra design features.



Transom windows

For particularly high elements and more daylight

Side panels

For particularly wide entry doors:

One or two side panels for more daylight

Door hinge

Choose which way it opens

01




02





More than just light

Not all glass is the same. Just think how varied this familiar material can be. From simple obscure glass to striking designer glass.



Getting a grip on design

Sweeping brass or straight-lined stainless steel? Historically classic or minimalistically modern? Each UNILUX handle is not only a solid piece of handcraft, but also an aesthetic gem allowing you to express your taste and style.



[01 Model 7106

White colour
with optional sidelight
Model description page 13

[02 Model 7107

Slate gray colour
Model description page 13



Freedom to choose colour and look.



Individual and matching

Each UNILUX door not only matches your house in terms of design, but also in terms of colour. Because the selection of colours and shades leaves nothing to be desired.

Ask your UNILUX retailer for the colour swatches, so you can be sure your favourite red (or grey or blue or...) is what appears on your entry door.



31 colours and Wood patterns







A handle on aesthetics

Handles and handle variants.

A door handle must be tough – not everyone will be treating it with kid gloves. Durability is thus a basic requirement for a good handle. But we're not just interested in the material quality – appearance is also important to us.

A UNILUX door handle always creates an inviting feel. It complements the architecture, and is the icing on the cake for a model door.

UNILUX door handles –
nice to hold, impressive to look at.



Model 7104

Slate gray colour
with two optional sidelights
Model description page 12



Handles and handle variants.



7017

Stainless steel
L 325 mm



7002

Stainless steel
L 400 mm



7022

Stainless steel
L 400 mm



7033

Stainless steel
L 400 mm



7014

Stainless steel
L 600 mm



7036

Stainless steel
L 600 mm



7031

Stainless steel
L 600 mm



7026

Stainless steel
L 600 mm



7037

Stainless steel
L 1,200 mm



7010

Stainless steel
L 330 mm



7011

Stainless steel
L 330 mm



7012

Stainless steel
L 330 mm



7013

Stainless steel
L 335 mm



5003

Stainless steel



5300

Stainless steel



7004

Stainless steel
L 504 mm



7005

Stainless steel
L 480 mm



7001

Brass polished
L 300 mm







Security

Not popular among thieves.

Burglars are always pressed for time. The harder you make things for them, the quicker they give up. That's why UNILUX is not only concerned with design and comfort, but also with safety devices and locks. And this should never be compromised – a belief we take to heart in our daily work.

Good to know: Even the basic UNILUX entry doors have effective safety mechanisms. We also offer additional devices which further enhance the standard safety features.

That way, UNILUX does its bit towards ensuring uninvited guests are kept out.





Multi-point locking system

Standard side-entry doors

3-point lock (with 2 safety bolts and 1 deadbolt)

Standard IsoStar

3-point safety lock with end-to-end lock faceplate

Special IsoStar

4-point safety lock with door catch and end-to-end lock faceplate

Solid door structure with an end-to-end lock faceplate

When it comes to security, the more you have the better. The more solid the door, the more resistant it will be to offenders. With thicknesses of up to 3 15/32"/88 millimetres, our models offer durable natural protection.

All our models have an end-to-end metal lock faceplate in the frame. This means that, since the locking mechanism is generally firmly fixed into the closing sections, the potential perpetrator would have to smash the entire plate out of the door frame – involving a lot of extra effort and significantly inhibiting the burglar.

Anti-lift device

All UNILUX entry doors come with two anti-lift devices on the hinge side, significantly inhibiting force entries caused by jimmying.

Safety glass

Thanks to a specially developed, highly tear-proof polycarbonate film, the optional safety glass stays shut even if the normal glass cracks – good for you, bad for potential burglars. The UNILUX's anti-vandal P2A safety glass is incidentally certified by the German National Authority on Fire Arms and Ammunition.




Door catches

More effective and more elegant than a door chain.

The optional door catch serves as an additional interior lock, and as a safety catch when the door is easily opened, making it impossible for uninvited guests to get a foot in the door.

Please note:

When the door catch is activated, the entry door can be opened 4 cm. Depending on the construction, widening profiles may be necessary in order to see through the 4-cm gap.



KUStandard

Three-point interlock of stainless steel with two massive bolts and an one-piece striker plate.



KUT3PSVTF

Three-point interlock of stainless steel with two massive bolts, a door catch, and an one-piece striker plate.



KUT5PSV

Five-point interlock of stainless steel with four massive bolts and an one-piece striker plate.



KUT3PAV

Automatic three-point interlock of stainless steel with two automatic interlocks and an one-piece striker plate.



Lock for side entry door

Three-point interlock of stainless steel with two bolts and an one-piece striker plate.



Interior handle



4007

Stainless steel

4009


Stainless steel

4008

Stainless steel

4006

Stainless steel



2300

Stainless steel

2301

Stainless steel

Rosettes



3007

Stainless steel

3008

Stainless steel



IsoStar entry doors



Page 12

Model 7101



Page 12

Model 7102




Page 12

Model 7104



Page 13

Model 7105




Page 13

Model 7106



Page 13

Model 7107



Page 14

Model 7108



Page 14

Model 7109




Page 14

Model 7110




Page 15

Model 7110G



Page 15

Model 7111



Page 15

Model 7112



Page 16

Model 7112G




Page 16

Model 7113



Page 16

Model 7114




Page 18

Model 7115



Page 18

Model 7116



Page 19

Model 7117



Page 20
Model 7119



Page 20
Model 7120




Page 20
Model 7120G



Page 22
Model 7121



Page 22
Model 7122



Page 22
Model 7123



Page 23
Model 7124



Page 23
Model 7125



Page 23
Model 7125G



Page 24
Model 7126



Page 24
Model 7126G



Page 24
Model 7127



Page 25
Model 7128



Page 25
Model 7129



Page 25
Model 7130




Page 26
Model 7131



Page 26
Model 7131G



The reliability of a big name



UNILUX ensures award-winning long-term progress – by selecting the right partners and rawmaterial suppliers, and by being a member of leading institutions and associations:



UNILUX products meet international test and safety standards:





Company info

Publisher

UNILUX GmbH
54528 Salmtal / Germany
Phone 06578 189-0
Fax 06578 188-0

info@unilux.de
www.unilux.de

Notes

The content of this catalogue is not legally binding and may be subject to technical changes as part of further developments or errors in the text, images or descriptions. We only allow images and text material – including excerpts – to be used upon request, and with our express written consent.

The image material used is for illustrative purposes. Differences in colour are unfortunately unavoidable due to printing. The sample illustrations are not to scale.

© 2023, UNILUX GmbH. All rights reserved.



UNILUX headquarters, Salmtal



Contact:

Phone: +49 (0) 6578 189-0

E-Mail: info@unilux.de

Further information on
products can be found at:
www.unilux.de